



395 N. Service Road, Suite 402W • Melville, NY 11747  
Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764  
E-mail: Allmetl@aol.com • www.allmetalsales.com

All items fully CERTIFIED to American Aluminum Assoc. Standards and Tolerances

**New Jersey**

**Alloy 7075 T651 to AMS4045K, ANSI H35.2**

**AMS-QQ-A-250/12A/ASTM B201**

|             |                        |
|-------------|------------------------|
| 7615 lbs.   | .250" x 48.5" x 144.5" |
| 7336 lbs.   | .250" x 60.5" x 144.5" |
| 18,712 lbs. | .375" x 60.5" x 144.5" |
| 22,766 lbs. | .375" x 48.5" x 144.5" |
| 4363 lbs.   | .500" x 48.5" x 144.5" |
| 13,683 lbs. | .500" x 60.5" x 144.5" |
| 3638 lbs.   | .625" x 48.5" x 144.5" |
| 10,104 lbs. | .625" x 60.5" x 144.5" |
| 2760 lbs.   | .750" x 48.5" x 144.5" |
| 8190 lbs.   | .750" x 60.5" x 144.5" |
| 3210 lbs.   | .875" x 48.5" x 144.5" |
| 6202 lbs.   | .875" x 60.5" x 144.5" |
| 2886 lbs.   | 1" x 48.5" x 144.5"    |
| 21,340 lbs. | 1" x 60.5" x 144.5"    |
| 13,520 lbs. | 1.25" x 60.5" x 144.5" |
| 16,250 lbs. | 1.5" x 48.5" x 144.5"  |
| 4744 lbs.   | 1.75" x 60.5" x 144.5" |
| 15,873 lbs. | 2" x 48.5" x 144.5"    |
| 10,681 lbs. | 2" x 60.5" x 144.5"    |
| 3258 lbs.   | 2.25" x 48.5" x 144.5" |
| 26,823 lbs. | 2.5" x 48.5" x 144.5"  |
| 37,999 lbs. | 2.5" x 60.5" x 144.5"  |
| 9969 lbs.   | 2.75" x 48.5" x 144.5" |
| 4958 lbs.   | 2.75" x 60.5" x 144.5" |
| 32,358 lbs. | 3" x 48.5" x 144.5"    |
| 10,776 lbs. | 3" x 60.5" x 144.5"    |
| 11,728 lbs. | 3.25" x 60.5" x 144.5" |
| 9455 lbs.   | 3.5" x 60.5" x 144.5"  |
| 11,564 lbs. | 4" x 48.5" x 144.5"    |
| 18,025 lbs. | 4" x 60.5" x 144.5"    |
| 12,895 lbs. | 4.5" x 48.5" x 144.5"  |

**Los Angeles**

**Alloy 7075 T651 to specs**

|             |                        |
|-------------|------------------------|
| 10,573 lbs. | .250" x 48.5" x 144.5" |
| 17,814 lbs. | .250" x 60.5" x 144.5" |
| 3981 lbs.   | .500" x 48.5" x 144.5" |
| 4090 lbs.   | .500" x 60.5" x 144.5" |
| 8091 lbs.   | .750" x 60.5" x 144.5" |
| 18,050 lbs. | 1" x 48.5" x 144.5"    |
| 14,463 lbs. | 1" x 60.5" x 144.5"    |
| 4491 lbs.   | 1.25" x 60.5" x 144.5" |
| 8106 lbs.   | 1.5" x 60.5" x 144.5"  |
| 13,902 lbs. | 1.75" x 48.5" x 144.5" |
| 14,297 lbs. | 2" x 48.5" x 144.5"    |
| 10,756 lbs. | 2" x 60.5" x 144.5"    |
| 12,850 lbs. | 2.25" x 48.5" x 144.5" |
| 4281 lbs.   | 3" x 48.5" x 144.5"    |
| 21,527 lbs. | 3" x 60.5" x 144.5"    |
| 11,776 lbs. | 3.25" x 60.5" x 144.5" |
| 5035 lbs.   | 3.5" x 48.5" x 144.5"  |
| 12,599 lbs. | 3.5" x 60.5" x 144.5"  |
| 6775 lbs.   | 3.75" x 60.5" x 144.5" |
| 10,875 lbs. | 4" x 60.5" x 144.5"    |
| 12,072 lbs. | 4.5" x 60.5" x 144.5"  |



395 N. Service Road, Suite 402W • Melville, NY 11747  
 Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764  
 E-mail: Allmetl@aol.com • www.allmetalsales.com

|             |                       |
|-------------|-----------------------|
| 12,068 lbs. | 4.5" x 60.5" x 144.5" |
| 9022 lbs.   | 5" x 60.5" x 144.5"   |
| 8598 lbs.   | 6" x 48.5" x 144.5"   |

**Aluminum Tread Plate/Alloy 3003 H22/tread bright diamond pattern**

**New Jersey**

|           |                    |
|-----------|--------------------|
| 6997 lbs. | .100" x 48" x 120" |
|-----------|--------------------|

**Aluminum Plate/Alloy 6061 T651/prime & fully certified to ASME-SB 209 AMS4025, 4026, 4027/AMS-QQ-A-250/11/ASTM B-209**

**New Jersey**

|             |                         |
|-------------|-------------------------|
| 2319 lbs.   | .090" x 48" x 144"      |
| 8846 lbs.   | .090" x 60" x 144"      |
| 9143 lbs.   | .125" x 60" x 144"      |
| 7189 lbs.   | .1875" x 48" x 120"     |
| 12,399 lbs. | .1875" x 48" x 144"     |
| 13,832 lbs. | .1875" x 60" x 120"     |
| 11,081 lbs. | .1875" x 60" x 144"     |
| 27,814 lbs. | .250" x 48.5" x 144.5"  |
| 19,029 lbs. | .250" x 60.5" x 144.5"  |
| 11,061 lbs. | .375" x 48.5" x 144.5"  |
| 30,308 lbs. | .375" x 60.5" x 144.5"  |
| 16,129 lbs. | .500" x 48.5" x 144.5"  |
| 38,225 lbs. | .500" x 60.5" x 144.5"  |
| 3472 lbs.   | .625" x 48.5" x 144.5"  |
| 18,402 lbs. | .625" x 60.5" x 144.5"  |
| 11,909 lbs. | .750" x 48.5" x 144.5"  |
| 22,750 lbs. | .750" x 60.5" x 144.5"  |
| 3040 lbs.   | .875" x 60.5" x 144.5"  |
| 29,310 lbs. | 1" x 48.5" x 144.5"     |
| 38,240 lbs. | 1" x 60.5" x 144.5"     |
| 26,096 lbs. | 1.25" x 48.5" x 144.5"  |
| 4378 lbs.   | 1.25" x 60.5" x 144.5"  |
| 24,948 lbs. | 1.5" x 48.5" x 144.5"   |
| 40,367 lbs. | 1.5" x 60.5" x 144.5"   |
| 9072 lbs.   | 1.625" x 48.5" x 144.5" |
| 16,681 lbs. | 1.75" x 60.5" x 144.5"  |
| 52,814 lbs. | 2" x 48.5" x 144.5"     |
| 45,308 lbs. | 2" x 60.5" x 144.5"     |
| 21,757 lbs. | 2.25" x 48.5" x 144.5"  |
| 23,370 lbs. | 2.25" x 60.5" x 144.5"  |
| 25,972 lbs. | 2.5" x 48.5" x 144.5"   |
| 34,496 lbs. | 2.5" x 60.5" x 144.5"   |
| 14,156 lbs. | 2.75" x 60.5" x 144.5"  |
| 10,357 lbs. | 3" x 48.5" x 144.5"     |
| 31,192 lbs. | 3" x 60.5" x 144.5"     |
| 11,296 lbs. | 3.25" x 60.5" x 144.5"  |
| 12,172 lbs. | 3.5" x 48.5" x 144.5"   |
| 42,453 lbs. | 3.5" x 60.5" x 144.5"   |
| 19,471 lbs. | 4" x 48.5" x 144.5"     |

**Los Angeles**

|             |                         |
|-------------|-------------------------|
| 2769 lbs.   | .032" x 48" x 120"      |
| 7914 lbs.   | .040" x 48" x 120"      |
| 10,681 lbs. | .040" x 60" x 120"      |
| 3413 lbs.   | .040" x 60" x 144"      |
| 11,405 lbs. | .050" x 48" x 120"      |
| 6596 lbs.   | .050" x 60" x 120"      |
| 20,887 lbs. | .050" x 60" x 144"      |
| 31,809 lbs. | .063" x 60" x 120"      |
| 10,265 lbs. | .063" x 60" x 144"      |
| 4312 lbs.   | .1875" x 48" x 96"      |
| 19,720 lbs. | .188" x 48" x 120"      |
| 8328 lbs.   | .188" x 60" x 144"      |
| 4301 lbs.   | .250" x 48.5" x 96.5"   |
| 16,376 lbs. | .250" x 48.5" x 144.5"  |
| 2154 lbs.   | .250" x 60" x 120"      |
| 16,358 lbs. | .3125" x 48.5" x 144.5" |
| 26,416 lbs. | .375" x 48.5" x 144.5"  |
| 4094 lbs.   | .375" x 60.5" x 120.5"  |
| 21,429 lbs. | .375" x 60.5" x 144.5"  |
| 17,811 lbs. | .500" x 48.5" x 144.5"  |
| 11,069 lbs. | .500" x 60.5" x 144.5"  |
| 17,351 lbs. | .625" x 60.5" x 144.5"  |
| 12,432 lbs. | .750" x 48.5" x 144.5"  |
| 19,764 lbs. | .750" x 60.5" x 144.5"  |
| 7705 lbs.   | .875" x 60.5" x 144.5"  |
| 21,563 lbs. | 1" x 48.5" x 144.5"     |
| 44,484 lbs. | 1" x 60.5" x 144.5"     |
| 17,410 lbs. | 1.25" x 60.5" x 144.5"  |
| 9467 lbs.   | 1.375" x 60.5" x 144.5" |
| 10,339 lbs. | 1.5" x 48.5" x 144.5"   |
| 19,647 lbs. | 1.5" x 60.5" x 144.5"   |
| 7828 lbs.   | 1.625" x 48.5" x 144.5" |
| 14,466 lbs. | 1.75" x 48.5" x 144.5"  |
| 12,189 lbs. | 1.75" x 60.5" x 144.5"  |
| 12,485 lbs. | 2" x 48.5" x 144.5"     |
| 10,534 lbs. | 2" x 60.5" x 144.5"     |
| 3646 lbs.   | 2.125" x 60.5" x 144.5" |
| 6272 lbs.   | 2.25" x 48.5" x 144.5"  |
| 5873 lbs.   | 2.25" x 60.5" x 144.5"  |



395 N. Service Road, Suite 402W • Melville, NY 11747  
Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764  
E-mail: Allmetl@aol.com • www.allmetalsales.com

**New Jersey**

|             |                        |
|-------------|------------------------|
| 38,339 lbs. | 4" x 60.5" x 144.5"    |
| 11,872 lbs. | 4.25" x 48.5" x 144.5" |
| 3496 lbs.   | 5" x 48.5" x 144.5"    |
| 4363 lbs.   | 5" x 60.5" x 144.5"    |
| 5225 lbs.   | 6" x 60.5" x 144.5"    |
| 13,168 lbs. | 10" x 60.5" x 110"     |

**Los Angeles**

|             |                        |
|-------------|------------------------|
| 29,423 lbs. | 2.5" x 48.5" x 144.5"  |
| 21,519 lbs. | 2.5" x 60.5" x 144.5"  |
| 11,490 lbs. | 2.75" x 48.5" x 144.5" |
| 9579 lbs.   | 2.75" x 60.5" x 144.5" |
| 2077 lbs.   | 3" x 48.5" x 144.5"    |
| 28,516 lbs. | 3" x 60.5" x 144.5"    |
| 15,297 lbs. | 3.5" x 60.5" x 144.5"  |
| 6440 lbs.   | 3.75" x 60.5" x 144.5" |
| 19,582 lbs. | 4" x 48.5" x 144.5"    |
| 21,936 lbs. | 4" x 60.5" x 144.5"    |
| 17,368 lbs. | 5" x 48.5" x 144.5"    |
| 8656 lbs.   | 5" x 60.5" x 144.5"    |
| 10,450 lbs. | 6" x 60.5" x 144.5"    |
| 5935 lbs.   | 9" x 60.5" x 110"      |
| 15,590 lbs. | 9" x 60.5" x 144.5"    |
| 13,120 lbs. | 10" x 60.5" x 110"     |

**Alloy 2024T351/ASTM B209**

4839 lbs. 1.125" x 48.5" x 144.5"



395 N. Service Road, Suite 402W • Melville, NY 11747  
Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764  
E-mail: Allmetl@aol.com • www.allmetalsales.com

## ***NEW JERSEY***

### **True Muntz Metal - Alloy 280**

#### **Cold Rolled - ASTM B36 - Polished Quality**

|             |                     |
|-------------|---------------------|
| 3958 lbs.   | .037" x 48" x 96"   |
| 17,376 lbs. | .037" x 48" x 120"  |
| 8860 lbs.   | .045" x 48" x 96"   |
| 2187 lbs.   | .057" x 48" x 96"   |
| 8719 lbs.   | .077" x 48" x 96"   |
| 6561 lbs.   | .077" x 48" x 120"  |
| 10,185 lbs. | .118" x 48" x 96"   |
| 8413 lbs.   | .118" x 48" x 120"  |
| 11,769 lbs. | .1875" x 48" x 120" |
| 18,047 lbs. | .245" x 48" x 96"   |
| 18,254 lbs. | .245" x 48" x 120"  |
| 8403 lbs.   | .375" x 48" x 96"   |
| 1303 lbs.   | .375" x 48" x 120"  |
| 14,102 lbs. | .500" x 48" x 96"   |
| 879 lbs.    | .500" x 48" x 120"  |

### **Naval Brass Sheet - Alloy 464**

#### **Cold Rolled - ASTM B-171 - Polishing Quality**

|           |                    |
|-----------|--------------------|
| 9533 lbs. | .375" x 48" x 96"  |
| 668 lbs.  | .375" x 48" x 120" |
| 2819 lbs. | .500" x 48" x 96"  |

### **Commercial Bronze Sheet - Alloy 220-Half hard**

|           |                    |
|-----------|--------------------|
| 2313 lbs. | .050" x 48" x 120" |
| 5043 lbs. | .090" x 48" x 96"  |
| 4193 lbs. | .090" x 48" x 120" |
| 4742 lbs. | .245" x 48" x 96"  |

### **Copper Roofing Sheet Alloy 122**

#### **Cold Rolled - ASTM B370 Bare or Lead Coated**

|                                         |
|-----------------------------------------|
| 16 oz. x 36" x 96"/20 oz. x 36" x 96"   |
| 16 oz. x 36" x 120"/20 oz. x 36" x 120" |

### **Brass Sheet Alloy 260 half hard ASTM B-36**

#### **Polished Quality - Paper interleaved**

|             |                   |
|-------------|-------------------|
| 11,109 lbs. | .040" x 36" x 96" |
| 2154 lbs.   | .050" x 36" x 96" |
| 7721 lbs.   | .080" x 36" x 96" |
| 10,707 lbs. | .090" x 36" x 96" |

### **Copper Bus bar - Alloy 110-Round & Square Edge**

Silver Plated and bare huge inventory .125" to .500"x1" to 8"x12"

All subject to prior sale