2008 Nissan Pathfinder Specifications

Specifications are based on latest product information available at the time of printing

Mechanical

V6	V8			
VQ40	VK56			
DOHC				
Longit	udinal			
V6	V8			
Aluminum	/aluminum			
4.0L	5.6L			
266 @ 5600 rpm	300+			
288 @ 4000 rpm	380+			
95.5 x 92	98 x 92			
9.7	9.8			
Double plat	inum-tipped			
6,200 rpm	6,000 rpm			
Naturally aspirated, Nissan Variable Induction System	Naturally aspirated			
	nain, Two-Stage, er Cylinder			
3 solid (non-fluid filled)	mounts: 2 front, 1 rear			
Premium	unleaded			
50 State ULEV	LEV			
Single exit/main & post muffler				
	VQ40 Longit V6 Aluminum 4.0L 266 @ 5600 rpm 288 @ 4000 rpm 95.5 x 92 9.7 Double plat 6,200 rpm Naturally aspirated, Nissan Variable Induction System DOHC, Silent Ch 4-Valves p 3 solid (non-fluid filled) Premium 50 State ULEV			

Electrical	S	SE	OR	LE	SE	LE	
		V6 V8					
Ignition system		Electronic (direct ignition)					
Starter		12 volt					
Alternator Amps	110	110 130					
Battery		GR24F-550					
Spark plugs		Double platinum-tipped					

Transmission and Drive System		S	SE	OR	LE	SE	LE
			V	6		_ \	/8
Drive configuration	RWD	•	S	-		S	
Part-tim	ie 4WD	()	S		-	
Full-tim	ie 4WD		-			0	
Transmission type				5-spe	ed AT		
Gear ratio			<u>A</u>	<u>/T</u>		T	BD
1 st			3.8	341		T	BD
2 nd			2.3	352		T	BD
3 rd			1.5	529		T	BD
4 th			1.0	000		TBD	
5 th			0.8	339		T	BD
6 th				-		T	BD
Reverse			2.7	764		T	BD
Final drive ratio (:1)			3.1	133		T	BD
Transfer case gear ratio (:1)	High	TBD					
	Low	TBD					
Vehicle Dynamic Control (VDC)		S				-	

Brakes	S	SE	OR	LE	SE	LE
		\	/6		V	8
Standard						
Front Type	9		Vente	d Disc		
Rotor size diameter and thickness (in.))		11.65	x 1.10		
Rear Type	9	•	Vente	d Disc	•	
Rotor size diameter and thickness (in.))		12.12	x .70		
Brake control Hill Start Assis:	t	- S -				
Hill Descent Contro	1	-	S		-	
2- or 4-wheel limited slip		S				
Electronic Brake force Distribution	n S					
Anti-lock Braking System (ABS)			(S		
Number of wheels				4		
Parking brake Type	9	•	Mech	anical	•	
Location	1		Fc	ot		

Steering				
Туре	Engine spe	ed-sensitive	power rack-	and-pinion
Overall ratio (:1)		1	7	
Turns (lock-to-lock)		3.	54	
Curb-to-curb turning diameter (ft.)	39 ft. 5 in. (4x2), 39 ft. 2 in. (4x4)			(4x4)
Manual Tilt Steering	S			
Steering wheel (3-spoke)	<u>S</u>	<u>SE</u>	<u>OR</u>	<u>LE</u>
Urethane	S	-	-	-
Leather	0	S	S	S
Audio Controls	0	S	S	S
Heated	-	-	-	S
Bluetooth	-	-	-	0
Cruise control	S	S	S	S

Suspension	
Front	Independent double-wishbone with coil-over
	shocks
Stabilizer bar	S
Rear	Independent double-wishbone with coil on toe-
	control link
Stabilizer bar	S
Bilstein® shock absorbers	S (SE Off Road)

Body / Chassis		
Туре		Body-on-Frame (ladder-type)
Materials (primary)		Corrosion-resistant and high-strength steel
Skid plates	Radiator	S (All trims)
	Oil Pan	S (SE Off Road only)
	Fuel Tank	S (SE Off Road only)
	Transfer Case	S (SE Off Road only)
Tow hooks	1 in front	S (SE, SE Off Road, SE V8)

Exterior

Wheels & Tires	V6 V					8
	S	SE	OR	LE	SE	LE
Wheels						
16" aluminum-alloy (7.0JJ)	S			-		
16" aluminum-alloy – Polished (7.0JJ)		-	S		-	
17" aluminum-alloy (7.5JJ)	-	S			-	
17" aluminum-alloy – Polished (7.5JJ)		-		S	-	-
18" aluminum-alloy – Polished (8.0JJ)	- S			3		
Tires						
P245/75R16 General Grabber BSW	S			-		
P265/75R16 OWL – BFGoodrich rugged		-	S		-	
trail						
P265/65R17 OWL – BFGoodrich long trail	-	S	-	S	-	-
P265/60R18 BFGoodrich - BSW			-		9	5
Tire Pressure Monitor System (TPMS)	S					
- Direct pressure measurement system						
Spare tire			Full-	-size		

Lights		V6			V8		
	S	SE	OR	LE	SE	LE	
Headlights							
Туре			Halo	gen			
Auto On/Off (ambient light sensitive)	-	0		S	0	S	
Halogen front fog lights	-	- S					
Center high mount stop light	S						
Glass mounted							

Additional Exter	V6 V8			8			
		S	SE	OR	LE	SE	LE
Outside mirrors							
Туре	Black dual	S			-		
	Body color	ı			S		
Adjustment				Pov	ver		
Heated		ı	(С	S	0	S
Memory			-		S	-	S
Body-colored bun	npers			Ç	6		
Splash guards				()		
Step device	Running board	1	S	-		S	
Chrome badging				Ç	6		
UV Cut Glass Win	dows			(3		
Privacy glass		Rear d	oor wind	lows, rea	r quarte	r windov	v fixed,
				liftgate	window		
Wipers							
Front	Variable intermittent	S			-		
	Vehicle-speed intermittent	1			S		
Rear	Fixed intermittent	S					
Sunroof							
	er tilt/sliding glass w/ shade	e - O S O S				S	
Roof rack/rails		S					
Roof rack with cro	oss bars	-			S		

Interior

menor							
Seating		V6 V8			8		
		S	SE	OR	LE	SE	LE
Capacity				7-pass	senger		
Materials	Cloth		S		-	S	-
	Leather-appointed	-	()	S	0	S
Front seats	Туре			Bud	cket		
Heated	Driver and passenger		-	0	S	ı	S
Driver seat	8-way power	-			S		
	Manual lumbar			(S		
Passenger seat	4-way manual		S		-	S	-
	4-way power	-	0	0	S	0	S
Seatback pockets		Driver side					
2 nd Row	Туре	3	-passenç	ger, split	bench (4	40/20/40))
Adjustments	Recline			(S		
Fold	up into storage position	S					
Center pull-down	armrest	- S					
Head restraints -	outboard	Height-adjustable detachable dual headrests				drests	
3 rd Row	Туре		5	0/50 spl	it fold-fla	at	
Head restraints			Dual hei	ght-adju	ıstable he	eadrests	

Audio		V	V 8		
	S	SE OR	LE	SE	LE
Head unit and speakers					
2-Din AM/FM CD	S		-		
2-Din AM/FM 6CD	ı	S	ı	S	-
2-Din AM/FM 6CD Bose® w/ subwoofer	1	0	S	0	S
Auxiliary Input Jack	ı		S		
DVD navigation system with 7.0" screen		_	0	-	0
Satellite Radio Pre-wire	ı		S		
XM [®]	ı		0		
Glass antenna w/ FM diversity	S				
Mobile entertainment system	- O				
DVD player w/ 7.0" LCD screen					

Instrumentation	
Meters/gauges	
Speedometer – MPH main, KPH sub	Analog
Tachometer	Analog
Coolant temperature	Analog
Fuel level	Analog
Twin trip odometer	LCD digital
Clock	Digital

Comfort & Convenience Features		V6		!	/8
Cruise control w/ steering mounted controls	S SE OR LE SE LE				
Power windows	Dr	iver/front passen		-touch a	uto
Tower windows	Di	up/down with			ato
Power door locks	S	elective unlocking			ut
Remote keyless entry system		<u> </u>			
Center console	Du	al-level w/ 12V o	utlet, Cl	D/DVD c	ase
		storage, 2 d	cup hold	lers	
Overhead sunglass storage	S				
Map lights	S				
Armrests	Center console, door				
Door pockets	S				
Sun visor					
W/ extender and vanity mirror	S		-		
W/ extender and vanity mirror, illuminated	ı		S		
Trunk/cargo area Cargo net	-		S		
Easy Clean Cargo Floor	-	S	-	S	-
Tie-down hooks Floor-mounted		6)		
Side-mounted		2	2		
Ceiling-mounted	4				
Air conditioning/heater					
Manual temp control					
Dual-zone automatic temp control	- S				

Comfort & Convenience	e Features		١	<i>1</i> 6		V	8
(Continued)	_	S	SE	OR	LE	SE	LE _
Window defogger	Front	t S					
	Liftgate glass				S		
Rear A/C & heater ducts					S		
Cup holders	Front	Cente	r consol	e w/rubb	er insert	:: 2, fror	it door
				pock	cet: 2		
	Rear	Back of center console: 2					
	3 rd Row	2					
Power outlets – four		2 on	center	stack, CT	R consol	e, cargo	area
Glove box with lock					S		
Assist grips	ngress/egress fr grip				S		
Fr assist gr	ip – ceiling pass side						
	ngress/egress rr grip						
2 nd assist	grip – ceiling RH/LH						
Inside rearview mirror	Manual day/night	t S -					
Auto-dimming			- S				
Universal	Garage Door Opener	-		0	S	0	S

Safety and Security

Salety and S	occurry						
Passenger Res	traint Systems	V6				V8	
		S	SE	OR	LE	SE	LE
Air bags	Driver & front passenger			;	S		
Dr & fr pa	iss seat-mounted side impact		0		S	0	S
Roof-	mounted curtain side-impact		0		S	0	S
Outboard seat b	elts Front	3-point height-adjusting w/pre-tensioners and			ers and		
				load li	miters		
	2 nd Row & 3 rd Row		3-ро	int LH/R	H w/ ALF	R/ELR	
Center seat belt	s Rear		3	-point w	/ ALR/EL	.R	
Power window lo	ockout button			•	S		
Child seat tether anchors – three							
LATCH system							
Child safety rear	door locks						

Passive Safety	
Energy-absorbing steering column	S
Zone body construction with front crumple	
zones and rear crumple zones	
Side-door guard beams	
Shift Interlock System	

Security	
Immobilizer	S
Vehicle security system with alarm	
Steering wheel locks when key is removed	

Dimensions

Exterior (inches)			V	6		V	8
		S	SE	OR	LE	SE	LE
Wheelbase				11:	2.2		
Overall length				19:	2.5		
Overall width				72	2.6		
Overall height	RWD	72	2.4	-	72.5	72.4	72.5
	AWD	72	2.8	73.3	72.9	72.8	72.9
Track width	Front			61	.8		
	Rear			61	.8		
Minimum ground clearance	RWD	8.6	8.7	-	8.7	8.7	8.7
	AWD	8.7	8.8	9.2	8.9	8.8	8.9
Cargo liftover height	RWD	29	9.9	-	30.0	29.9	30.0
	AWD	D 30.4 30.9		30.4			
Step-in height	Front	19.5					
	Rear			20	0.0		

Interior (inches)		Front	2 nd Row	3 rd Row
Head room	w/ sunroof	39.1	38.9	36.7
	w/o sunroof	40.0	40.0	36.7
Leg room		42.4	34.2	28.1
Hip room		55.5	57.6	44.0
Shoulder room		58.3	58.4	57.1

Weights		V6				V8	
		S	SE	OR	LE	SE	LE
Curb (lbs)	4X2	4,427	4,561	-	4,670	4,811	4,927
	4X4	4,684	4,779	4,837	4,925	5,030	5,182
Weight distribution (%) Front/Rear	4x2	50/50	50/50	-	50.2/	50.5/	50/50
					49.8	40.5	
	4x4	51.3/	51.2/	51.2/	50.6/	51.7/	51.1/
		48.7	48.8	48.8	49.4	48.3	48.9
GVWR (lbs)	4x2		6,0	000	•	6,3	350
	4x4		6,1	13		6,5	500

Capacities	V6 V8			
Fuel (gallons)	21.1			
Oil (quarts)	5.4			
Coolant (liters)	10.2 w/o rear A/C, 13.4 w/ rear A/C			
Towing (lbs) (Max. cap. properly equip.)	6,000 7,000			
Payload (lbs) (Max. cap. properly equip.)	TBD			

Volume	(cubic feet)	_ S	SE	OR	LE
Passenge	er compartment	211.3			
Cargo	2 nd , 3 rd row seat upright	t 32.7			
	2 nd row upright, 3 rd row folded flat		88.2		85.4
2 nd and 3 rd row folded flat			145.7		140.9
EPA	Total interior volume		211	1.3	
	Total cargo volume		80	.1	

EPA Fuel Economy (Actual mileage may v	vary)	V6	V8
City	4x2	16	TBD
	4x4	15	TBD
Highway	4x2	23	TBD
	4x4	21	TBD
Classification		Special Purp	ooses Vehicle

Options	S	SE	OR	LE
SE Premium Package: Power tilt and slide	_	I)	-
sunroof, auto headlamps, UGDO				
(HomeLink®), BOSE® 6-disc AM/FM/CD audio				
system w/ 10 speakers including subwoofer,				
steering wheel audio controls, mp3 and				
satellite radio capabilities, speed-sensitive				
volume				
SE Leather Package: leather-appointed	-	F) _,	Р -
seats, heated front seats, power front			Satellite Radio	
passenger (4-way) seat, leather-appointed		and SE Prem	ium Package	
door trim, dual power heated mirrors				
(deletes AS seat fold flat)				
HDD Navigation Package: DVD navigation	-			Р
system w/color display, BOSE® single CD				
audio system w/ subwoofer and 9.3-gigabyte				
Music Box hard drive, dual auto A/C, Tire				
Pressure Monitor System, Bluetooth® hands-				
free phone system, Intelligent Key, XM®				
satellite radio receiver and antenna		•		
DVD Mobile Entertainment System: DVD	- P,		Р	
player, 7" color monitor for rear passengers,	Requires XM Satellite Radio			
rear seat infrared headphones (2), infrared	and, for SE & OR, SE Premium Package			
remote control				
Air Bag Package: Roof-mounted curtain air	Р		S	
bags for side-impact and rollover head				
protection for outboard positions in all three				
rows, front seat-mounted side-impact air				
bags			_	
XM Satellite Radio	P			
In-Cabin Microfilter	Р			
Body-Side Moldings: Body-color	- P -			-
Splash Guard: 4 pieces	Р			

S – StandardO – OptionP – Package